



**slide**

**manufacturer**

**Walton**  
WANLI TO HARDWARE



HUIZHOU WANLI HENGTONG HARDWARE PRODUCTS CO.,LTD  
HANYABEI SECTION GANPO VILLAGE ZHENLONG TOWN HUIYANG DISTRICT  
HUIZHOU GUANGDONG CN

WANLI TO HARDWARE LIMITED  
UNIT 1406A 14/F THE BELGIAN BANK BUILDING NOS 721-725 NATHAN ROAD KL

Web: <https://www.walitonslide.com>

T: 0086 752 3958758  
M: 0086 13923808751  
Fax: 0086 752 3951259  
Email: 1@walitonslide.com  
Postcode: 516227



**Walton**  
WANLI TO HARDWARE

**Product Brochure**

# Company Profile

Huizhou Waliton Hardware Co, Ltd. is specializing in the manufacturing of ball bearing slides. Our products are widely used in steel, board and wooden furniture of bedroom series, guest room series, dining room series, office series, study series and in various items needing drawing and pulling.

Our factory is set up with the most up to date production equipment, exquisite technology, adopted imported cold rolled steel and galvanized steel material. We devote ourselves to provide high-quality products and services for our customers. The product quality lives up to the international and the same trade standards. We mainly sell our products to customers in Europe, America, the Middle East and Japan. We cooperate with our customers.

We will sincerely cooperate with our customers and advance together with them.




WLT-Y02 SOFT-CLOSING UNDERMOUNT DRAWER SLIDES - FOR USA STANDARD KITCHEN CABINET DRAWERS



WLT-Y02 SOFT-CLOSING UNDERMOUNT DRAWER SLIDES (LEFT /RIGHT) - FOR USA STANDARD KITCHEN CABINET DRAWERS



SLIDE PART	NOMINAL LENGHT [NL] (Drawer Length)	RUNNER LENGHT	CRATON SIZE (mm)	CARTON QUANTITY (sets/carton)	GROSS WEIGHT (kgs)
WLT-Y0212	12" [305mm]	12.5" [317mm]	437x195x132	6 sets	10.65 kg
WLT-Y0215	15" [381mm]	15.5" [394mm]	515x195x132	6 sets	12.75 kg
WLT-Y0218	18" [457mm]	18.5" [470mm]	590x195x132	6 sets	15.48 kg
WLT-Y0221	21" [533mm]	21.5" [546mm]	665x195x132	6 sets	17.82 kg




WLT-Y02 SOFT-CLOSING UNDERMOUNT DRAWER SLIDES - FOR USA STANDARD KITCHEN CABINET DRAWERS

WLT-Y02 OPTION FOR REFERENCE




Screw Positions of the Slides(mm)





Installation Dimensions(mm)

NL=Nominal Slide Length  
LT=Internal Cabinet Depth




Drawer Dimensions



Installation Dimensions(mm)


NL=Nominal Slide Length  
LT=Internal Cabinet Depth



Release Lever Adjustment Options:




Locking Device




Rear Mounting Bracket (Plastic) with Dowels Rear Mounting Bracket (Metal)


Plastic Rear Mounting Bracket for Drawer Length 305(12")-533(21")



Drawer Back for Soft-close Slide



Metal Rear Mounting Bracket



SOFT-CLOSE/PUSH TO OPEN FULL EXTENSION UNDER-MOUNT DRAWER SLIDES




Item No. WLT-Y06

PRODUCT DESCRIPTION	LENGTH	UNIT	MATERIAL THICKNESS	NET WEIGHT (kgs/set)	CARTON DIMENSION (cm)	PACK QTY (set/carton)	PACK GROSS WEIGHT (kgs/carton)	PACK NET WEIGHT (kgs/carton)
3-fold SOFT-CLOSE full extension drawer slide, with locking device (WLT-Y06S)	12"	set	1.8*1.4*1.0	1.378	39*28*12	10	14.45	14.21
	14"	set	1.8*1.4*1.0	1.489	44*28*12	10	15.6	15.32
	16"	set	1.8*1.4*1.0	1.658	49*28*12	10	17.33	17.01
	18"	set	1.8*1.4*1.0	1.878	54*28*12	10	19.57	19.21
	20"	set	1.8*1.4*1.0	2.043	59*28*12	10	21.26	20.86
3-fold PUSH TO OPEN full extension drawer slide, with locking device (WLT-Y06P)	12"	set	1.8*1.4*1.0	1.378	39*28*12	10	14.45	14.21
	14"	set	1.8*1.4*1.0	1.489	44*28*12	10	15.6	15.32
	16"	set	1.8*1.4*1.0	1.658	49*28*12	10	17.33	17.01
	18"	set	1.8*1.4*1.0	1.878	54*28*12	10	19.57	19.21
	20"	set	1.8*1.4*1.0	2.043	59*28*12	10	21.26	20.86

SOFT-CLOSE SINGLE EXTENSION UNDER-MOUNT DRAWER SLIDES (WITH NO RELEASE LEVER ADJUSTMENT)

Item No. WLT-Y05



PRODUCT DESCRIPTION	LENGTH	UNIT	MATERIAL THICKNESS	NET WEIGHT (kgs/set)	CARTON DIMENSION (cm)	PACK QTY (set/carton)	PACK GROSS WEIGHT (kgs/carton)	PACK NET WEIGHT (kgs/carton)
2-fold SOFT-CLOSE single extension drawer slide, with adjustable pin (WLT-Y05)	12"	set	1.4*1.4	0.806	32.5*23*10	10	8.3	8.06
	14"	set	1.4*1.4	0.912	37*23*10	10	9.4	9.12
	16"	set	1.4*1.4	0.968	42*23*10	10	10	9.68
	18"	set	1.4*1.4	1.084	47*23*10	10	11.2	10.84
	20"	set	1.4*1.4	1.21	52*23*10	10	12.5	12.1

PUSH TO OPEN SINGLE EXTENSION UNDER-MOUNT DRAWER SLIDES (WITH NO RELEASE LEVER ADJUSTMENT)



Item No. WLT-Y03

PRODUCT DESCRIPTION	LENGTH	UNIT	MATERIAL THICKNESS	NET WEIGHT (kgs/set)	CARTON DIMENSION (cm)	PACK QTY (set/carton)	PACK GROSS WEIGHT (kgs/carton)	PACK NET WEIGHT (kgs/carton)
2-fold PUSH TO OPEN single extension drawer slide, with adjustable pin (WLT-Y03)	12"	set	1.4*1.4	0.806	32.5*23*10	10	8.3	8.06
	14"	set	1.4*1.4	0.912	37*23*10	10	9.4	9.12
	16"	set	1.4*1.4	0.968	42*23*10	10	10	9.68
	18"	set	1.4*1.4	1.084	47*23*10	10	11.2	10.84
	20"	set	1.4*1.4	1.21	52*23*10	10	12.5	12.1



Item No. WLT-Y023



Product name: Metal SlimTandem Box System

Material: Cold rolled Steel

Loading rate: 40 kgs

SGS cycling test: 80000 cycles

Drawer side height: 84/116/167/199mm

Drawer box depth: 250/270/300/350  
400/450/500/550mm



Dark Gray



White



Item No. WLT-Y018



Product name: Glass Slim Tandem Box System

Material: Cold rolled Steel + Tempered Glass

Loading rate: 40 kgs

SGS cycling test: 80000 cycles

Drawer side height: 84/116/167/199mm

Drawer box depth: 350/400/450  
500/550mm



Dark Gray



White

V6 TYPE SOFT CLOSE UNDER-MOUNT DRAWER SLIDES - FULL EXTENSION/SINGLE EXTENSION

Item No. WLT-V63/ V62



Drawer side height: 40mm

Drawer box depth: 250/300/350/400/450/500/550mm

PRODUCT DESCRIPTION	SIZE	UNIT	MATERIAL THICKNESS	NET WEIGHT (kgs/set)	CARTON DIMENSION (cm)	PACKING QTY (set/carton)	PACKAGE GROSS WEIGHT (kgs/carton)	PACKAGE NET WEIGHT (kgs/carton)
3-fold SOFT-CLOSE full extension drawer slide with locking device	12"	set	1.4*1.4*1.4	0.94	39*28*12	10	9.97	9.42
	14"	set	1.4*1.4*1.4	1.09	44*28*12	10	11.47	10.92
	16"	set	1.4*1.4*1.4	1.24	49*28*12	10	12.97	12.42
	18"	set	1.4*1.4*1.4	1.39	54*28*12	10	14.47	13.92
	20"	set	1.4*1.4*1.4	1.54	59*28*12	10	15.98	15.43
2-fold SOFT-CLOSE full extension drawer slide with locking device	12"	set	1.4*1.4*1.4	0.72	39*28*12	10	7.71	7.16
	14"	set	1.4*1.4*1.4	0.83	44*28*12	10	8.84	8.29
	16"	set	1.4*1.4*1.4	0.94	49*28*12	10	9.96	9.41
	18"	set	1.4*1.4*1.4	1.05	54*28*12	10	11.09	10.54
	20"	set	1.4*1.4*1.4	1.17	59*28*12	10	12.22	11.67

WLT51001 HEAVY-DUTY SLIDE FOR THREE-SECTION DRAWERS



MODEL: WLT51001

LOAD-BEARING CAPACITY: ≈70KG/450mm(18 inch)

MATERIAL: 1.5\*1.5\*1.8mm high hardness cold rolled steel strip

COLOR: Enclosed blue zinc/ electrophoretic black


APPLICATIONS: Office appliances, machine cabinets, cabinets or household drawer, special vehicles

A SLIDE LENGTH(INCH)

8 - 40

(Size support customization)

WLT51002 THREE-SECTION STEEL BALL SLIDE (DAMPING CUSHION)



MODEL: WLT51002

MATERIAL: 1.5\*1.5\*1.8mm high hardness cold rolled steel strip

COLOR: Enclosed blue zinc/ electrophoresis black


APPLICATIONS: Office appliances, machine cabinets, cabinets or household drawer, special vehicles

A SLIDE LENGTH(INCH)

12 - 40

(More size support customization)

WLT53001 THREE SECTION HEAVY DUTY SLIDE RAIL



MODEL: WLT53001

LOAD-BEARING CAPACITY: ≈120KG/450mm(18 inch)

MATERIAL: 2.0\*2.0\*2.0mm high hardness cold rolled steel strip

COLOR: Enclosed blue zinc/ electrophoresis black

APPLICATIONS: Office appliances, machine cabinets, cabinets or household drawer, special vehicles

A SLIDE LENGTH(MM)

400


600

800

1000

(Size support customization)

WLT53002 THREE-SECTION HEAVY-DUTY SLIDE RAIL (WITH LOCK MODEL)



MODEL: WLT53002

LOAD-BEARING CAPACITY: ≈115KG/450mm(18 inch)

MATERIAL: 2.0\*2.0\*2.0mm high hardness cold rolled steel strip

COLOR: Enclose blue zinc/ electrophoresis black

APPLICATIONS: Office appliances, machine cabinets, cabinets or household drawer, special vehicles

A SLIDE LENGTH(INCH)

12 - 40


WLT53003 THREE-SECTION HEAVY-DUTY SLIDE RAIL (DAMPING CUSHION)



MODEL:	WLT53003
MATERIAL:	2.0*2.0*2.0mm high hardness cold rolled steel strip
COLOR:	Enclosed blue zinc/ electrophoretic black
APPLICATIONS:	Mall warehouse containers, cabinets, industrail drawers, speacial vehicles

A SLIDE LENGTH(INCH)  
8 - 40

WLT76002 THREE-SECTION THICKENED HEAVY DUTY SLIDE RAIL (WITH LOCK MODEL)



MODEL:	WLT76002
LOAD-BEARING CAPACITY:	≈220KG/450mm(18 inch)
MATERIAL:	2.5*2.3*2.5mm high hardness cold rolled steel strip
COLOR:	Enclosed blue zinc/ electrophoresis black
APPLICATIONS:	Mall warehouse containers, cabinets, industrail drawers, speacial vehicles

A SLIDE LENGTH(INCH)  
12 - 60

WLT76001 THREE SECTION THICKENED HEAVY DUTY SLIDE RAIL



MODEL:	WLT76001
LOAD-BEARING CAPACITY:	≈220KG/450mm(18 inch)
MATERIAL:	2.5*2.3*2.5mm high hardness cold rolled steel strip
COLOR:	Enclosed blue zinc/ electrophoresis black
APPLICATIONS:	Mall warehouse containers, cabinets, industrail drawers, speacial vehicles

A SLIDE LENGTH(INCH)  
12 - 40

WLT48006 MULTIFUNCTIONAL SOFA HEAVYDUTY SLIDE




MODEL: WLT48001

LOAD-BEARING CAPACITY: ≈120KG


MATERIAL: 2.0mm high hardness cold rolled steel strip/ 2.0mm galvanized sheet

COLOR: Enclosed blue zinc/ electrophoresis black



A OUTER TRACK LENGTH(MM)	B INNER RAIL LENGTH(MM)
550 (Size support customization)	268 (Size support customization)

WLT48007 STAIRCASE BOTTOM CABINET HEAVY DUTY SLIDING RAIL




MODEL: WLT48007

LOAD-BEARING CAPACITY: ≈120KG

MATERIAL: 2.0mm high hardness cold rolled steel strip/ 2.0mm galvanized sheet

COLOR: Enclosed blue zinc/ electrophoresis black



A SLIDE LENGTH(MM)	B PULL-OFF TOTAL LENGTH(MM)
400	900
600	1450
800	1850
1000	2250

(Size support customization) (Size support customization)


APPLICATIONS: Office desk extension cabinet, home dining cabinet






MECHANISMS OF INTERNAL FASTENING TO THE DRAWER

Item No. WLT-T35IM-xxx-xxx/ WLT-T47IM-xxx-xxx




Stationary Member (Outside)



ITEM NO.	DIMENSION (mm)	SYNCHRONICITY	FOLDED LENGTH(mm) "A"	EXTENDED LENGTH (MM) "B"	MOUNTING METAL SIZE (mm) "C"	MAXIMUM INSERT SIZE (mm) "D"	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
WLT-T35IM-520-80ST	35*520mm	Synchronous with stopper	520	520	80x20	330	pair	1.28	10	54*21*9
WLT-T35IM-560-80ST	35*560mm	Synchronous with stopper	560	560	80x20	370	pair	1.15	10	58*21*9
WLT-T35IM-560-80NS	35*560mm	NON - Synchronous	560	560	80x20	370	pair	1.13	10	58*21*9
WLT-T35IM-600-90ST	35*600mm	Synchronous with stopper	600	600	90X40	390	pair	1.32	10	62*21*9
WLT-T35IM-600-90NS	35*600mm	NON - Synchronous	600	600	90X40	390	pair	1.3	10	62*21*9
WLT-T35IM-650-80NS	35*650mm	NON - Synchronous	650	650	80x20	440	pair	1.3	10	67*21*9
WLT-T35IM-650-90NS	35*650mm	NON - Synchronous	650	650	90X40	440	pair	1.31	10	67*21*9
WLT-T35IM-650-90ST	35*650mm	Synchronous with stopper	650	650	90X40	440	pair	1.32	10	67*21*9
WLT-T35IM-700-90ST	35*700mm	Synchronous with stopper	700	700	90X40	490	pair	1.51	10	72*21*9
WLT-T35IM-750-100NS	35*750mm	NON - Synchronous	750	750	100X20	520	pair	2.07	10	77*21*9
WLT-T35IM-750-90ST	35*750mm	Synchronous with stopper	750	750	90X40	540	pair	2.09	10	77*21*9
WLT-T35IM-800-90ST	35*800mm	Synchronous with stopper	800	800	90X40	590	pair	2.23	10	82*21*9
WLT-T35IM-900-200ST	35*900mm	Synchronous with stopper	900	900	200x20	450	pair	2.62	10	92*21*9
WLT-T35IM-1000-250ST	35*1000mm	Synchronous with stopper	1000	1000	250X20	470	pair	2.85	10	102*21*9
WLT-T47IM-1250-150ST	47*1250mm	Synchronous with stopper	1250	1250	370x20	940	pair	4.71	10	127*25*12

### SINGLE PLATFORM MECHANISM



Item No. WLT-T35S-xxxx



ITEM NO.	DIMENSION (mm)	SYNCHRONICITY	FOLDED LENGTH(mm) "A"	EXTENDED LENGTH (MM) "B"	MOUNTING METAL SIZE (mm) "C"	MAXIMUM INSERT SIZE (mm) "D"	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
WLT-T35S-600	35*600mm	NON - Synchronous	600	200	100x20	330	pair	0.95	10	62*21*9
WLT-T35S-700	35*700mm	NON - Synchronous	700	300	200x20	370	pair	1.25	10	72*21*9
WLT-T35S-750	35*750mm	NON - Synchronous	750	300	200x20	370	pair	1.35	10	77*21*9
WLT-T35S-900	35*900mm	NON - Synchronous	900	350	230x20	390	pair	1.55	10	92*21*9
WLT-T35S-1300	35*1300mm	NON - Synchronous	1300	800	400x20	390	pair	2.38	10	132*21*9

MECHANISMS WITH AUTOMATIC LIFTING OF THE TABLE INSERT


Item No. WLT-T35TT-xxxx



FOLDED LENGTH(mm) "A"	EXTENDED LENGTH (MM) "B"	MOUNTING METAL SIZE (mm) "C"	MAXIMUM INSERT SIZE (mm) "D"	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
960	960	200x20	320	pair	5.3	3	98*20*18
1000	1000	200x20	350	pair	5.52	3	102*20*18
1160	1160	200x20	400	pair	6.4	3	118*20*18
1350	1350	200x20	600	pair	7.44	3	137*20*18

MECHANISMS WITH FASTENING TO THE TABLETOP


Item No. WLT-T47HD-xxxx



ITEM NO.	DIMENSION (mm)	SYNCHRONICITY	FOLDED LENGTH (mm) "A"	EXTENDED LENGTH (MM) "B"	MOUNTING METAL SIZE (mm) "C"	MAXIMUM INSERT SIZE (mm) "D"	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
WLT-T47-750ST	47*750mm	Synchronous with stopper	750	1830	500x20	1000	pair	7.43	4	77*18*11
WLT-T47-1000ST	47*1000mm	Synchronous with stopper	1000	2530	800x20	1500	pair	10.32	2	120*14*11
WLT-T47-1200ST	47*1200mm	Synchronous with stopper	1200	3230	1000X20	2000	pair	12.51	2	140*14*11
WLT-T47-1800ST	47*1800mm	Synchronous with stopper	1800	4820	1200x20	3000	pair	17.83	1	182*11*11

### MECHANISMS WITH FASTENING TO THE TABLETOP

Item No. WLT-T47HDN-xxxx







ITEM NO.	DIMENSION (mm)	SYNCHRONICITY	FOLDED LENGTH(mm) "A"	EXTENDED LENGTH (MM) "B"	MOUNTING METAL SIZE (mm) "C"	MAXIMUM INSERT SIZE (mm) "D"	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
WLT-T47HDN-650	47*650mm	NON - Synchronous	650	1360	650x20	560	pair	7.09	2	67*13*11
WLT-T47HDN-800	47*800mm	NON - Synchronous	800	1810	800x20	800	pair	8.73	2	82*13*11
WLT-T47HDN-825	47*825mm	NON - Synchronous	825	1880	825x20	880	pair	9	2	90*13*11
WLT-T47HDN-1000	47*1000mm	NON - Synchronous	1000	2400	1000x20	1200	pair	10.9	2	102*13*11
WLT-T47HDN-1200	47*1200mm	NON - Synchronous	1200	3000	1200x20	1800	pair	13.09	2	122*13*11

### MECHANISMS WITH FASTENING TO THE TABLETOP

WLT-T35-Txx-xx



WLT-T47-Txx-xx




ITEM NO.	DIMENSION (mm)	FOLDED LENGTH(mm)	EXTENDED LENGTH (mm)	SLIDE RAIL HEIGHT (mm)
		"A"	"L"	"H"
WLT-T35-T7-300	35x300 x 7	300	1380	35
WLT-T35-T9-300	35x300 x 9	300	1740	35
WLT-T35-T11-300	35x300 x 11	300	2100	35
WLT-T35-T13-300	35x300 x 13	300	2460	35
WLT-T35-T7-350	35x350 x 7	350	1730	35
WLT-T35-T9-350	35x350 x 9	350	2190	35
WLT-T35-T11-350	35x350 x 11	350	2650	35
WLT-T35-T13-350	35x350 x 13	350	3110	35
WLT-T35-T7-400	35x400 x 7	400	2080	35
WLT-T35-T9-400	35x400 x 9	400	2640	35
WLT-T35-T11-400	35x400 x 11	400	3200	35
WLT-T35-T13-400	35x400 x 13	400	3760	35
WLT-T35-T7-450	35x450 x 7	450	2430	35
WLT-T35-T9-450	35x450 x 9	450	3090	35
WLT-T35-T11-450	35x450 x 11	450	3750	35
WLT-T35-T13-450	35x450 x 13	450	4410	35

ITEM NO.	DIMENSION (mm)	FOLDED LENGTH(mm)	EXTENDED LENGTH (mm)	SLIDE RAIL HEIGHT (mm)
		"A"	"L"	"H"
WLT-T47-T7-300	47x300 x 7	300	1380	47
WLT-T47-T9-300	47x300 x 9	300	1740	47
WLT-T47-T11-300	47x300 x 11	300	2100	47
WLT-T47-T13-300	47x300 x 13	300	2460	47
WLT-T47-T7-350	47x350 x 7	350	1730	47
WLT-T47-T9-350	47x350 x 9	350	2190	47
WLT-T47-T11-350	47x350 x 11	350	2650	47
WLT-T47-T13-350	47x350 x 13	350	3110	47
WLT-T47-T7-400	47x400 x 7	400	2080	47
WLT-T47-T9-400	47x400 x 9	400	2640	47
WLT-T47-T11-400	47x400 x 11	400	3200	47
WLT-T47-T13-400	47x400 x 13	400	3760	47
WLT-T47-T7-450	47x450 x 7	450	2430	47
WLT-T47-T9-450	47x450 x 9	450	3090	47
WLT-T47-T11-450	47x450 x 11	450	3750	47
WLT-T47-T13-450	47x450 x 13	450	4410	47

### END EXTENSION MECHANISMS

Item No. WLT-T47END-xxxx



ITEM NO.	DIMENSION (mm)	SYNCHRONICITY	FOLDED LENGTH (mm) "A"	EXTENDED LENGTH (mm) "B"	MOUNTING METAL SIZE (mm) "C"	DRAWER SLIDE RAILS CLOSED LENGTH (mm) "D"	DRAWER SLIDE RAILS EXTENSION LENGTH (mm) "E"	MAXIMUM INSERT SIZE (mm)	UNIT	KGS/ pair	PAIRS/ Carton	CARTON DIMENSION (cm)
WLT-T47END-300	47*370mm	NON - Synchronous	370	550	350	300	480	250	pair	1.3	10	39*25*30
WLT-T47END-350	47*420mm	NON - Synchronous	420	650	400	350	580	300	pair	1.5	10	44*25*30
WLT-T47END-400	47*470mm	NON - Synchronous	470	750	450	400	680	350	pair	1.7	10	49*25*30
WLT-T47END-450	47*520mm	NON - Synchronous	520	850	500	450	780	400	pair	1.9	10	54*25*30
WLT-T47END-480	47*550mm	NON - Synchronous	550	910	530	480	840	430	pair	1.9	10	57*25*30


METAL FRAMES & SUPPORTS FOR TABLE



22024




22025



22026



22017



22020



1228



1220

ITEM NO.	MATERIAL	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	POWDER COATING
WLT-22024	Steel	1450	700	720	Y
WLT-22025	Steel	1450	700	720	Y
WLT-22026	Steel	1450	700	720	Y
WLT-22017	Steel	700	200	705	Y
WLT-22020	Steel	1390	770	730	Y
WLT-1220	Steel	1800	1600	710	Y
WLT-1228	Steel	790	80	710	Y



Motion Table Support with Electric Adjustable Mechanism

TABLE FASTENERS - INSERT ROTATION - HINGES COMPONENTS



30188



30035



30186



30196



3016



30198



3018



3017



3019



3020



3021



3022